



Classic MPPT Charge Controller Comparison Chart



Real Classics only come around once in awhile. The CLASSIC MPPT Charge Controller for Solar, Wind, and Hydro energy systems delivers what designer/installers want and system owner/operators need! The Classic is the ONLY MPPT controller available with Arc Fault Protection, insuring safer systems. Four models offer the flexibility to meet individual needs, something no other Charge Controller offers.

CLASSIC MPPT CHARGE CONTROLLER COMPARISON CHART									
Manufacturer	MidNite	OutBack	Blue Sky	Xantrex	Morningstar	Apollo			
Model	¹ Classic 150	FM60	FM80	3048DL	XWMPPT60	TSMPPPT60			
Rated Amps	80 - 96	60	80	30	60	80			
Max Operating Voltage	150	145	145	112	140	150			
Max VOC	² 162, 175, 200	150	150	140	150	150			
Max Battery Voltage	72	60	60	48	60	72			
Solar	•	•	•	•	•	•			
Wind	•	•	•	•	•	•			
Hydro	•	•	•	•	•	•			
List Price With Display	\$850	\$749	\$849	\$649	\$685	\$793			
Cost Per Amp With Display	\$10.63	\$12.48	\$10.61	\$21.63	\$11.42	\$13.22			
Digital Display	•	•	•	•	•	Option			
Internet Ready	•	•	\$595 Option	•	•	•			
Ground Fault Detector	•	•	•	•	•	•			
Arc Fault Detector	•	•	•	•	•	•			
Wizard Setup	•	•	•	•	•	•			
Graphical Display	•	•	•	•	•	•			
Free User Upgradeable Firmware	•	•	•	•	•	•			
Multiple Display Support	³ MNGP	⁴ MATE	⁴ MATE	SB50RD25	XW-SCP	TS-RM-2			
Aux Output	2	1	1	1	1	⁵ RD-Wired			
Aux Input	1					2			
Sealed Or Vented Configurable	•	•	•	•	•	•			
Warranty (Years)	5	5	5	5	5	5			
Oscilloscope Display	•	•	•	•	•	•			
Battery Status Meter	•	•	•	•	•	•			
Substantially Made In USA	•	•	•	•	•	•			
Voice	•	•	•	•	•	•			
Partial Shading Indicator	•	•	•	•	•	•			
Sunrise/Sunset Map Of World	•	•	•	•	•	•			
Bonus Amps Based On Voltage	•	•	•	•	•	•			
ModBus Communications	•	•	•	•	•	•			
External Shunt Input	•	•	•	•	•	•			
HyperVOC Extended VOC Limit	•	•	•	•	•	•			

¹ The Classic comes in four models, 150, 200, 250, and 250KS
² This number is based on the max operating voltage of the unit plus nominal battery voltage.
³ The Classic MNGP display and/or a secondary display can monitor many controllers. The MNGP display can be removed from the Classic and used remotely.
⁴ If more than one controller is used you must also add a hub 4 or hub 10.
⁵ Wireless remote and Internet available with additional purchases



- A True Classic has flexible MPPT performance with Arc Fault Protection for added safety with features not offered by the competition.
- A Classic design with unparalleled performance and flexibility!
- 12V-120V battery charging.
- Built in DC-GFP.
- Internet ready via Ethernet. Additional communications via USB and RS232.
- Data Logging to 20 MB.
- Classic's display can be removed and mounted up to 1000 feet away.
- Classic will support two displays.
- Our setup Wizard walks you through all the steps necessary to tailor your unique system.
- Did we mention American Made! American Quality! American Jobs!